

TIE>(O SERIES

Perfect fit for every home and living space

CATALOGUE 2024



We are determined to build a world where electricity is *safe* and accessible to one and all

Himel is an award winning global manufacturer and supplier of electric products for Low Voltage Power Distribution, Final Distribution, Power Management, Motor Control and Protection, Industrial Components, and Home Electric offers.



Global, Reliable, Affordable,

55+ countries served

8,300+ resellers

32K+
products







With a footprint in 50+ countries—we are leaders in value-engineered electric products for residential, commercial, industrial, and utilities sectors. We value opportunities for all and provide the best combination of affordable and reliable offers to meet the demand for access to safe electricity.















Flexo Series

Wiring Devices







Multiple Front Plate Options



Smooth Operation



Convenience of Easy Installation



Functionalities



Flexo Series

Wiring Devices








FLEXIBLE

Add an accent to your living space with Flexo, a masterpiece that seamlessly complements your interior aesthetics. Experience the freedom to effortlessly create unique combinations of mechanisms, unlocking both ease and speed. Break free from limits, indulge your imagination, and embrace the new possibilities with Flexo.







VERSATILE

Featuring 24 functionalities, effortless installation, contemporary construction, and a timeless design, Flexo seamlessly caters to a variety of switch functions for both home and office applications. Experience the perfect blend of convenience and style with Flexo.



Flexo Series

Wiring Devices











Various Cover Sizes

Experience limitless possibilities with our switch and socket range, allowing flexible mechanism installation in any direction.



LED Backlighting

Iluminate your space efficiently with high-luminosity LED backlighting, enjoying plug-and-play ease and up to






Universal Mechanisms for Different Covers

Streamline inventory management effortlessly, offering effective and convenient solutions tailored for our valued customers.

Optional Wiring Terminal





SCREW TYPE

Rely on the exclusive design for contacts, nuts, and housing, guaranteeing secure wiring connections and peace of mind



FAST CONNECTION TYPE

Install with ease and save time – Flexo provides a hassle-free installation process, cutting time by up to 40%.

Safety Performance





MECHANICS Enjoy a cooler environment, extended

Flexo Series

Wiring Devices







International Frame Support

Crafted for the global market, our products fit European round/square boxes and Italian rectangular boxes seamlessly.









Polycarbonate Material

The fire-resistant Polycarbonate built ensures robust mechanical strength and top-tier safety for ultimate performance.





Exclusive Snap Design

Front / Back Extraction System



Simplify installation and uninstallation with mechanisms accessible from both front and back, even after fixing to the mounting box

Half-module Snap



Embrace universality with a half-module snap, ensuring frame support compatibility and effortless inventory management

Front / Back Extraction System



Experience stability like never before – the exclusive snap system prevents displacement, loosening, or sinking of modulars.

Half-module Snap



Speed up installation with clear markings on frame supports and mechanisms, aiding technicians in a fast and efficient setup.v

Flexo Series

Wiring Devices









Selection Code

Range name Functionality Colour

HWDF X


X

F: Flexo

You may replace XXX codes by functionality codes listed below

Default: White
B: Black
S: Silver
C: Champagne

Frame Colour Choices



Module Colour Choices



Major Functionality Abbrevation

1G1W: 1 gang 1 way 1G2W: 1 gang 2 way PB: push button IS: Italian socket SS: schuko socket DIM: dimmer

Flexo Series

Wiring Devices







Frame

Product Picture	Ref No. (white)	Ref No. (black)	Ref No. (silver)	Ref No. (champagne)	Description	Mod	Qty/ Box	Oty /Carton
	HWDFEP1G	HWDFEP1GB	HWDFEP1GS	HWDFEP1GC	1 Gang Frame - 80 size 80 x 80 x 8.5 (mm) PC	1	30	300
	HWDFEP2G	HWDFEP2GB	HWDFEP2GS	HWDFEP2GC	2 Gang Frame - 80 size 80 x 80 x 8.5 (mm) PC	2	30	300
	HWDF1GP	HWDF1GPB	HWDF1GPS	HWDF1GPC	1 Gang Frame - 120 size 120 x 80 x 8.5 (mm) PC	1	20	200
	HWDF2GP	HWDF2GPB	HWDF2GPS	HWDF2GPC	2 Gang Frame - 120 size 120 x 80 x 8.5 (mm) PC	2	20	200
	HWDFL2GP2	HWDFL2GP2B	HWDFL2GP2S	HWDFL2GP2C	2 Gang Frame - 120 size 120 x 80 x 8.5 (mm) PC	1+1	20	200
	HWDF3GP	HWDF3GPB	HWDF3GPS	HWDF3GPC	3 Gang Frame - 120 size 120 x 80 x 8.5 (mm) PC	3	20	200
	HWDF4GP	HWDF4GPB	HWDF4GPS	HWDF4GPC	4 Gang Frame 147 x 80 x 8.5 (mm) PC	4	20	200
	HWDF7GP	HWDF7GPB	HWDF7GPS	HWDF7GPC	7 Gang Frame 209 x 80 x 8.5 (mm) PC	7	16	160
	HWDFL2GPE	HWDFL2GPEB	HWDFL2GPES	HWDFL2GPEC	2x1 Gang Frame 120 x 120 x 8.5 (mm) PC	2x1	10	100
	HWDFL2GPG	HWDFL2GPGB	HWDFL2GPGS	HWDFL2GPGC	2x(1+1) Gang Frame 120 x 120 x 8.5 (mm) PC	2x (1+1)	10	100
	HWDFL2GPF	HWDFL2GPFB	HWDFL2GPFS	HWDFL2GPFC	2x3 Gang Frame 120 x 120 x 8.5 (mm) PC	2x3	10	100
~	HWDFL3GBP	HWDFL3GBPB	HWDFL3GBPS	HWDFL3GBPC	3 Gang Blank Plate 120 x 80 x 8.5 (mm) PC	3	20	200
	HWDFL2X3GBP	HWDFL2X3GBPB	HWDFL2X3GBPS	HWDFL2X3GBPC	2x3 Gang Blank Plate 120 x 120 x 8.5 (mm) PC	2x3	10	100
•	HWDFLCO	HWDFLCOB	HWDFLCOS	HWDFLCOC	Cable Outlet 80 x 120 x 8.5 (mm) PC	3	20	200

Flexo Series

Wiring Devices







Support

Product Picture	Ref No.	Description	Terminal	Mod	Qty/Box	Qty/Carton
	HWDFEP2GMB	2 Gang Support w/o Mounting Claw	-	Max. 2 mod	30	300
	HWDFLEP2GMBC	2 Gang Support with Mounting Claw	-	Max. 2 mod	20	200
	HWDF2GMB	2 Gang Support	-	Max. 2 mod	20	200
	HWDF3GMB	3 Gang Support	-	Max. 3 mod	20	200
0	HWDF4GMB	4 Gang Support	-	Max. 4 mod	20	200
	HWDF7GMB	7 Gang Support	-	Max. 7 mod	16	160
	HWDFL2X3GMB	2X3 Gang Support	-	Max. 2 x 3 mod	10	100

Flexo Series

Wiring Devices







One Way Switches

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
	HWDF1G1W HWDFL2G1W HWDFL3G1W	HWDF1G1B HWDFL2G1B HWDFL3G1B	1 Way Switch 1P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120
	HWDF1G1WLED HWDFL2G1WLED HWDFL3G1WLED	HWDF1G1WLEDB HWDFL2G1WLEDB HWDFL3G1WLEDB	1 Way Illuminable Switch(with LED indicator) 1P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120

Two Way Switches

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
00 00 00	HWDF1G2W HWDFL2G2W HWDFL3G2W	HWDF1G2WB HWDFL2G2WB HWDFL3G2WB	2 Way Switch 1P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120
	HWDFL1G2WLED HWDFL2G2WLED HWDFL3G2WLED	HWDFL1G2WLEDB HWDFL2G2WLEDB HWDFL3G2WLEDB	2 Way Illuminable Switch(with LED indicator) 1P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120

Push Button

Pro	oduct Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
	0.	HWDFPB HWDFLPB2G HWDFLPB3G	HWDFPBB HWDFLPB2GB HWDFLPB3GB	Push Button 1P 250V~ 10A	Screw	1 2 3	20 14 12	200 140 120
-		HWDFLPB1GLED HWDFLPB2GLED HWDFLPB3GLED	HWDFLPB1GLEDB HWDFLPB2GLEDB HWDFLPB3GLEDB	Illuminable Push Button (with LED indicator) 1P 250V~ 10A	Screw	1 2 3	20 14 12	200 140 120

Double Pole Switches

Р	roduct Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
•	00 00	HWDFLDP1G HWDFLDP2G HWDFLDP3G	HWDFLDP1GB HWDFLDP2GB HWDFLDP3GB	Double Pole Switch 2P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120
-		HWDFLDP1GLED HWDFLDP2GLED HWDFLDP3GLED	HWDFLDP1GLEDB HWDFLDP2GLEDB HWDFLDP3GLEDB	Illuminable Double Pole Switch (with LED indicator) 2P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120

Flexo Series

Wiring Devices







Intermediate Switches

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
	HWDFIS HWDFLIS2G HWDFLIS3G	HWDFISB HWDFLIS2GB HWDFLIS3GB	Intermediate Switch 1P 250V~16AX	Screw	1 2 3	20 14 12	200 140 120

1-0-2 Mode Blind Switches

	Product F	Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
0	0•	0							
^	^	^	HWDF3SCS	HWDF3SCSB	1-0-2 Mode Blind		1	20	200
0	0	0	HWDFL3SCS2G	HWDFL3SCS2GB	Switch	Screw	2	14	140
~	~	~	HWDFL3SCS3G	HWDFL3SCS3GB	1P 250V~ 10A		3	12	120

Electrical Sockets

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
• • • •	HWDFSS	HWDFSSB	Schuko Socket with Safety Shutter 16A 250V~ 2P+E	Screw	2	8	80
•	HWDFLSSLID01	HWDFLSSLID01B	Schuko Socket with Safety Shutter with Lid 16A 250V~ 2P+E	Screw	2	8	80
U	HWDFLESUNI	HWDFLESUNIB	Universal European Socket with Safety Shutter 16A 250V~ 2P+E	Screw	2	8	80
• • •	HWDFL10IS	HWDFL10ISB	10A Italian Socket with Safety Shutter 10A 250V~ 2P+E	Screw	1	16	160
• · · · · · · · · · · · · · · · · · · ·	HWDF16IS	HWDF16ISB	10A/16A Universal Italian Socket with Safety Shutter 10A/16A 250V~ 2P+E	Screw	1	16	160

Accessories

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
	HWDFLLEDI001		LED indicator for screwless terminal switch			50	5000
100	HWDFLLEDI002	-	LED indicator for screw terminal switch	-	-	50	5000
0•	HWDFBF	HWDFBFB	Blank Insert	-	1	32	320

Flexo Series

Wiring Devices







VDI Sockets

Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
0•	HWDFTS	HWDFTSB	Telephone Socket CAT3 RJ11	-	1	20	200
0	HWDFDS	HWDFDSB	LAN Socket CAT5E RJ45 UTP	-	1	20	200
• •	HWDFTV	HWDFTVB	TV Socket Female Type End Type w/o Surge protection	-	1	20	200
©	HWDFLSTV	HWDFLSTVB	EndType w/o Surge protection	-	1	20	200

Electronics

Electronics							
Product Picture	Ref No. (White)	Ref No. (Black)	Description	Terminal	Mod	Qty/Box	Qty/Carton
■ 0•	HWDFLMB	HWDFLMBB	Mechanical Buzzer 250V~	-	1	16	160
((((·)))) o•	HWDFLEDB	HWDFLEDBB	Electronic Doorbell 110-250V~	-	2	8	80
•	HWDF1USB	HWDF1USBB	Single USB Charger Input 100-250V~ Output 5V DC 2.4A	-	1	16	160
·•	HWDF2USB	HWDF2USBB	USB +Type C Fast Charger Input 100-250V~ Output: A port / C port only: DC 5V 3A / 9V 2.2A / 12V 1.67A (20W) A+C port both in use: DC 5V 3A (15W)	-	1	16	160
·•	HWDFDIM25	HWDFDIM25B	Trailing Edge Dimmer 250V~ 250W Multi type load	-	1	16	160
·•	HWDFLDIM50	HWDFLDIM50B	Triac Dimmer 250V~ 500W Resistive type load	-	1	16	160
·•	HWDFLDIM10	HWDFLDIM10B	1-10V Dimmer For Fluorescent Lamp with Ballast	-	1	16	160

Flexo Series

Wiring Devices







Range Presentation

Introducing our most flexible wiring devices range designed to elevate your living and working spaces, Flexo. Crafted from fire-retardant, high-quality polycarbonate, Flexo offers a versatile combination of switches, sockets, frames, and accessories.

With a wide range of cover sizes and sockets featuring child protection shutters, each product is meticulously designed for safety and convenience.

Flexo is certified for CE and RoHS standards, ensuring best-in-class quality and compliance.

Features



Versatile combination of switches, sockets, frames and accessories



Wide range of cover sizes



Made from polycarbonate, one of the toughest thermoplastics available



Sockets available with shutter for child protection





CE and RoHS certification


Product Dimension (mm)


SWITCH & SOCKET

















FRAME



MODULE





Installation System

