



Product data sheet

HTND15GH230WF

CharacteristicsVoltage stabilizer, HTND, 15 kVA, cabinet terminal, connect, 230 V output, with 2 fans



Product Image Coming Soon

Main

Range of product	HTND
Product or component type	Voltage stabilizer
Technology type	Servo motor
Rated power in VA	15 kVA
Provided equipment	User manual
Output voltage	230 V

Complementary

Response time	1 s
Efficiency	92 %
Input voltage limits	140...250 V
Type of cooling	2.0 fan
Protection type	Overvoltage Short-circuit
Network frequency	50/60 Hz
Mounting mode	Cabinet mount

Environment

Ambient air temperature for operation	-5...40 °C
Relative humidity	0...90 %
Humidity storage	0...90 %
Operating altitude	0...2000 m
Storage altitude	0...2000 m
Standards	EN 61000-6-2 EN 61000-6-4 EN 61558-1
Product certifications	CE

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	79 cm
Package 1 Width	44.5 cm
Package 1 Length	42.5 cm
Package 1 Weight	67 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Himel nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable packaging

No